
#### Wreck-utation



Dan Hubbard
Stephan Chenette
Websense Security Labs
CanSec 2008

Reputation: is the opinion (more technically, a social evaluation) of the public toward a person, a group of people, or an organization. It is an important factor in many fields, such as business, online communities or social status.

Reputation: is the opinion (more technically, a social evaluation) of the public toward a person, a group of people, or an organization. It is an important factor in many fields, such as business, online communities or social status.

Online Reputation is a factor in any online community where trust is important. Examples include eBay, an auction service which uses a system of customer feedback to publicly rate each member's reputation.





"Reputation systems are the future defense against malicious code and SPAM"



"Reputation systems are the future defense against malicious code and SPAM"

"You are only as good as your reputation"



"Reputation systems are the future defense against malicious code and SPAM"

"You are only as good as your reputation"


"Reputation is the next stage in the antivirus evolution"

#### Good \*or\* Bad






#### Good \*or\* Bad






Mozilla.org

#### Good \*or\* Bad





Mozilla.org

Russian Business Network

#### Good \*and\* Bad





#### Good \*and\* Bad






MSNBC Sports

#### Good \*and\* Bad





MSNBC Sports

MSNBC Sports Stats

### Good \*gone\* Bad





#### Good \*gone\* Bad





Super Bowl Site

#### Good \*gone\* Bad



Super Bowl Site

Owned from China


# Using Reputation for Security Decisions

# Using Reputation for Security Decisions





Web Reputation
Email Reputation
Domain Reputation
Bonus: Binary Reputation



#### Web Reputation

THE BLOG TAIL

THE LONG TAIL



TOP 100

**CURRENT EVENTS** 


REGIONAL & GENRE


PERSONAL & GARBAGE

#### Web Reputation

THE BLOG TAIL

THE LONG TAIL





THE BLOG TAIL

THE LONG TAIL



TOP 100

**CURRENT EVENTS** 

REGIONAL & GENRE PERSONAL & GARBAGE

THE BLOG TAIL

THE LONG TAIL



TOP 100

**CURRENT EVENTS** 

REGIONAL & GENRE

HOSTING +
REGIONAL +
COLLATERAL
DAMAGE

PERSONAL & GARBAGE

THE BLOG TAIL

THE LONG TAIL



¥

TOP 100

**CURRENT EVENTS** 

BIG NAME
COMPROMISES
& SEO

REGIONAL & GENRE

HOSTING +
REGIONAL +
COLLATERAL
DAMAGE

PERSONAL & GARBAGE

THE BLOG TAIL

THE LONG TAIL



TOP 100

EXPLOIT 2.0 **CURRENT EVENTS** 

BIG NAME
COMPROMISES
& SEO

REGIONAL & GENRE

HOSTING +
REGIONAL +
COLLATERAL
DAMAGE

PERSONAL & GARBAGE

#### mysql>

#### mysq > SELECT COUNT FROM vurldb WHERE hostname RLIKE '(.+\.)?(googlepages|geocities|yahool facebooklmyspacelgooglellive)\.com' AND category IN ('Malicious Web Sites', 'Spyware', 'Keylogger') AND add date BETWEEN '2008-02-01' AND '2008-02-29';

mysq1> 3032




Personal information - Edit


Change password
Change security question

#### My products - Edit


- Blogger
- Calendar
- **Docs**
- iGoogle Settings Add content
- Page Creator Settings
- Picasa Web Albums Settings




Blogger: Allows embedded URL's to malicious code



Blogger: Allows embedded URL's to malicious code Calendar + DOCS: allow embedded malicious code




Blogger: Allows embedded URL's to malicious code Calendar + DOCS: allow embedded malicious code GooglePages: allows upload of malicious code



Blogger: Allows embedded URL's to malicious code Calendar + DOCS: allow embedded malicious code GooglePages: allows upload of malicious code Picasso Albums: allow embedded URL's to malicious code

# Using Reputation for Security Decisions



#### What's the Problem?

The webs most visited sites are increasingly being used to host malicious code

Spammers, and malcode groups have wised up to industry use of reputation and are exploiting it

> 50% of malicious websites are compromised


70% of top 100 sites rely on user uploaded content

Most top sites have poor, if any, input validation

#### eBay input validation

eBay is unquestionably one of the most popular websites (high reputation)


eBay does some input but not in real-time



# Seller Reputation

We blogged in the past of sellers making their reputation go from 0 to "Power Seller"










# Seller Reputation

We blogged in the past of sellers making their reputation go from 0 to "Power Seller"













# "make me a power seller"

```
// First, get all links on page
var nodes = document.body.getElementsByTagName('A');
// For each link on the page,
for( var i =
  0; i < nodes.length; i++ ) {
// If the text of that link is "0" (zero),
 if (nodes[i].innerHTML == '0') {
 // Then change it from "0" to "120" and include the nice
  // blue eBay star reserved for sellers with feedbacks of 100-499
  nodes[i].innerHTML = '120' +
  '<img align="absmiddle" border="0" height="25" width="25"
  alt="Feedback score is 100 to 499"
  src=http://pics.ebaystatic.com/aw/pics/uk/icon/iconTealStar 25x25.gif>';
  // And link it to another seller who actually has that many positive feedbacks
   nodes[i].href = 'http://feedback.ebay.com/ws/eBayISAPI.dll[REMOVED]';
 };
```

### Congrats, your have been Owned



### Adding malicious listings to eBay...



# eBay Sploit



My Documents



My Computer



My Network Places



Recycle Bin



Internet Explorer







## 90 minutes later....



### Account Security Notice: eBay Registration Suspension - Possible Unauthorized Account Use -@gmail.com Inbox X

suspension@ebay.com to me

show details Mar 21 (3 days ago) - Reply -

### Images are not displayed.

Display images below - Always display images from suspension@ebay.com

eBay sent this message originated from eBay. Learn more.

### Account Security Notice: eBay Registration Suspension - Possible Unauthorized Account Use @gmail.com

@gmail.com),

Due to recent activity, including possible unauthorized listings, we have temporarily suspended activity on your account in order to allow us to investigate this matter further. If you believe that this action may have been taken in error, or, if you feel that your account may have been tampered with, please contact our Live Help team so that we can provide additional information and work with you to resolve this issue.

You can reach the Account Theft Live Help team by taking the following steps:

- Click on the "Security Center" link at the bottom of most eBay pages.
- Click on the "eBay Account Protection" link in the eBay Marketplace section, within the Online Security Resources box.
- This will take you to the help page entitled Securing Your Account and Reporting Account Theft.
- Scroll down the help page to the section entitled Contacting eBay.
- Click on the "Live help" link.

Once you have clicked on the "Live Help" link, you will be prompted to enter a chat name or email address along with a topic related to your reason for contacting eBay. After you have entered this information, the next available representative will assist you.

In the event that you are unable to contact eBay through Live Help after taking these steps, respond directly to this message to request assistance. We will contact you by email after we have received your response.

Please allow at least 72 hours for an email reply. Emailing us prior to receiving our reply will result in an additional delay. In order to handle your concern as quickly and efficiently as possible, we encourage you to contact us through Live Help if you are able to do so.

# Easy as Pie?

## Easy as Pie?

> 日本語 | Slovenščina | Dansk | Русский | Română | Türkçe | Nederlands | Ελληνικά | Français | Svenska | Português | Italiano | 繁體中文 | 简体中文 | Magyar | Deutsch | Česky | Polski | Español



Virustotal is a **service that analyzes suspicious files** and facilitates the quick detection of viruses, worms, trojans, and all kinds of malware detected by antivirus engines. <u>More information...</u>

File 00009.exe received on 03.25.2008 20:02:12 (CET)


Current status: finished

Result: 26/32 (81.25%)

Antivirus Version Last Update Result


Antivirus	version	Last Update	Result
AhnLab-V3	2008.3.26.0	2008.03.25	Win-Trojan/OnlineGameHack
AntiVir	7.6.0.75	2008.03.25	TR/Dropper.Gen
Authentium	4.93.8	2008.03.25	-
Avast	4.7.1098.0	2008.03.24	Win32:Vaklik-AL
AVG	7.5.0.516	2008.03.25	PSW.OnlineGames
BitDefender	7.2	2008.03.25	Generic.PWS.Games.4.7B5A2A10
CAT-QuickHeal	9.50	2008.03.24	TrojanPSW.OnLineGames.tim
ClamAV	0.92.1	2008.03.25	PUA.Packed.UPack-1
DrWeb	4.44.0.09170	2008.03.25	Trojan.PWS.Wsgame.3654
eSafe	7.0.15.0	2008.03.18	Win32.OnLineGames.ti
eTrust-Vet	31.3.5641	2008.03.25	Win32/Frethog!generic
Ewido	4.0	2008.03.25	Trojan.OnLineGames.tim

# Everything has a price! Buying good Reputation



# Expired Domain dreamcast.com






# IFRAME: Content Injection

> 20,000 sites infected today (all had good reputation)

ZDNet.com, news.com, history.com, usatoday.com, etc. The list goes on

This attack used search engine optimization caching within high reputable sites to cache malicious content

# IFRAME: Content Injection






### IFRAME:

# Content Injection Attacks are using a bot to automatically


Attacks are using a bot to automatically search inside Blogdigger search engine.

In turn Blogdigger is caching the results.



# IFRAME: Content Injection

IFRAME is able to escape the parent tag





### IFRAME:

## Content Injection

Unsuspecting user who trust the site is redirected automatically to this PUS site







Has been around for a lot longer than Web Reputation

Several sender technologies: (SPF, DKIM, SenderID)

Reputation systems have helped move the problem





Start your own company and add SPF, SenderID, etc records, and move around



Start your own company and add SPF, SenderID, etc records, and move around

Hijack a "good" open relay



Start your own company and add SPF, SenderID, etc records, and move around

Hijack a "good" open relay

Use a webmail provider like Yahoo!, Gmail, Microsoft



Start your own company and add SPF, SenderID, etc records, and move around

Hijack a "good" open relay

Use a webmail provider like Yahoo!, Gmail, Microsoft

Spread wealth to BLOGS (Splogs)

# Email Wreck-utation "Legit Sender"

From: dan hubbard [dhubbard858@gmail.com]

To: Hubbard, Dan

Cc:

Subject: Enjoy taking surveys? Get paid to take More.

Attachments:

Get Paid For Your Opinion. <a href="http://gifts.gemzulu.com/C/54/711/346">http://gifts.gemzulu.com/C/54/711/346</a> \$10 - \$40 Dollars an Hour! Apply Online Today! Click Now



"Theres never been a better time to get a new car"

```
mail.yakdrive.com [67.218.177.112]
 mail.jadeblond.com [67.218.177.54]
 mail.routevery.com [67.218.177.53]
 mail.filterwind.com [67.218.185.50]
 mail.routevery.com [67.218.177.53]
 mail.bendton.com [67.218.177.73]
mail.wellcometo.com [67.218.185.76]
 mail.domesell.com [67.218.185.96]
 mail.smashoot.com [67.218.185.94]
mail.arrivespark.com [67.218.185.117]
 mail.spearmine.com [67.218.185.74]
 mail.cleanfluff.com [67.218.171.33]
mail.thirdground.com [67.218.171.20]
```

### Information for 'domesell.com'

This page shows general information on the domain domesell.com, its message volume and the number of unique IPs sending email during the last 30 days, and IP addresses in this domain sending substantial amounts of email.

Is this your domain? Request more in depth information with our **Domain Health Check**!

### **Web Reputation**

Reputation: Neutral


SmartFilter Category: Not Categorized

Make Category Suggestions

Nameservers: ns1.domainservice.com

ns2.domainservice.com ns3.domainservice.com ns4.domainservice.com

### **Mail Reputation**



Daily Trend of Domain Mail Sending Behavior

### Sender Information

First seen: 2008-03-07

### Message Volume

Daily avg 30 days:

Yesterday: (+157%)

### SPF/SenderID for domesell.com

Record present: spf1

Record: v=spf1 ip4:<u>67.218.185.0/24</u> a mx ~all

### **EMAIL & WEB REPUTATION LOOK UP**

You are only as credible as your online reputation. Make sure your identity is not being compromised by criminal activity by checking your reputation score.

### Enter IP address or Domain to look up Reputation

domesell.com Search

Web Reputation Score: Neutral

Country: United States of America Detailed Info: domesell.com




WHOIS Information					
Registered	28-feb-2008				
on:					
Updated	28-feb-2008				
on:					
Name	NS1.DOMAINSERVICE.COM				
servers	NS2.DOMAINSERVICE.COM				
	NS3.DOMAINSERVICE.COM				
	NS4.DOMAINSERVICE.COM				


### What Does My Reputation Score Mean?

**Good** = Little or no threat activity has been observed from your IP address or domain. Your email or Web traffic is not likely to be filtered or blocked\*.

**Neutral** = Your IP address or domain is within acceptable parameters. However, your email or Web traffic may still be filtered or blocked\*.

## MS Live Sending SPAM







## MS Live Captchas

									ation sent to reaking service
/:3b:44.343		128.2	ICP	14	◆ 17-16 at ate				4
7:36:46.375	192.168.197.213:1286	209.189 118 118:25	TCP:amtp	7	17.20 (00.000)	04	0		
7:36:48.375	192.168.197.213:1287	78.10	TCP	53	◆ 17:36-49.809	82	28	βĬ	/
7:36:54.687	192.168.197.213:1288	65.54 183 213 443	TCP	21	17-39-48-938	54	0		
7:36:54.687	192.168.197.213:1289	128.241 25 148.443	TCP	14	◆ 17:36-49-896	1514	1460	BM6{	
7:36:57.718	192.168.197.213:1290	78.109-311 198:1373	TCP	53	47.66 49.666	1514	1400	Divior.	
	192.168.197.213:1291		TCP	9	17:38:90:909	1514	1460	61 +61 +6	menngiginnery+-çuPyuyçuPiçççaq
	192.168.197.213:1292		TCP	21	◆ 17:36:46.608	1514	1460	Hellell	alalalalalalalalalalalalalalal.
7.27.00.120	132.133.137.213.1232		707		49 SE SE SES	54			


Request
GET /mail/layoutcommon_12.1.0069.1213.aspx?theme=0&cu
GET /c.gif?rf=π=7324&di=5718&ps=95176
GET /mail/todaylight.aspx?n=883086137
GET /p.aspx?ci=8000&pn=live.mail&u=854fa7b57df6fc09&m
POST /open/s.php?2=microsoft_0021c217&n=0&v=1677849
GET /404.txt
GET /mail/newuserexperience.aspx?newuser=yes&n=65469
GET /mail/themecommon_12.1.0069.1213.aspx?theme=0&cu
GET /mail/layoutcommon_12,1,0069,1213,aspx?theme=0&ct
GET /c.qif?rf=π=7324&di=5707&ps=95176
GET /p.aspx?ci=8000&pn=live.mail&u=1f12f66149c267eb&n
GET /mail/todaylight.aspx?n=1124186679
GET /mail/newuserexperience.aspx?newuser=yes&n=99947
GET /mail/themecommon_12,1,0069,1213.aspx?theme=0&cu
GET /mail/layoutcommon_12.1.0069.1213.aspx?theme=0&cu
GET /c.gif?rf=π=7324&di=5707&ps=95176
GET /p.aspx?ci=8000&pn=live.mail&u=92982d59298ad833&
GET /mail/todaylight.aspx?n=358807188
GET /mail/newuserexperience.aspx?newuser=yes&n=15572
GET /mail/themecommon_12,1,0069,1213,aspx?theme=0&ct
GET /mail/layoutcommon 12,1,0069,1213,aspx?theme=0&c
GET /c.gif?rf=π=7324&di=5707&ps=95176
GET /p.aspx?ci=8000&pn=live.mail&u=0e4e4b61a42e433e&
GET /mail/todaylight.aspx?n=893777355
GET /mail/newuserexperience.aspx?newuser=yes&n=13147
GET /mail/themecommon_12,1,0069,1213,aspx?theme=0&ct
GET /mail/layoutcommon_12.1.0069.1213.aspx?theme=0&ct
GET /c.gif?rf=π=7324&di=5718&ps=95176
GET /mail/todaylight.aspx?n=873668214
GET /p.aspx?ci=8000&pn=live.mail&u=a25a616273ba98ad&
GET /404.txt
GET /mail/newuserexperience.aspx?newuser=yes&n=47266
GET /mail/themecommon_12.1.0069.1213.aspx?theme=0&cu
GET /mail/layoutcommon_12.1.0069.1213.aspx?theme=0&cu
GET /c.gif?rf=π=7324&di=5718&ps=95176
GET /mail/todaylight.aspx?n=1456037085
GET /p.aspx?ci=8000&pn=live.mail&u=8c16745e21f79fa0&n
GET /mail/newuserexperience.aspx?newuser=yes&n=19740
GET /mail/themecommon 12.1.0069.1213.aspx?theme=0&co
GET /mail/layoutcommon 12,1,0069,1213,aspx?theme=0&cu
GET /c.gif?rf=π=7324&di=5707&ps=95176
GET /p.aspx?ci=8000&pn=live.mail&u=26a78aaa3e39d5fd&
GET /mail/todaylight.aspx?n=2100915541
GET /mail/newuserexperience.aspx?newuser=yes&n=16125
GET /mail/themecommon_12.1.0069.1213.aspx?theme=0&cu
GET /mail/layoutcommon_12.1.0069.1213.aspx?theme=0&cu
GET /c.gif?rf=π=7324&di=5707&ps=95176
GET /mail/todaylight.aspx?n=1154604974



# QNeaN,no CaPNob







# Cruel Irony: Google Redirects





http://www.google.com/pagead/iclk?sa=3Dl&ai=3DoOfDzh&num= = 3D07504&adurl=3Dhttp://visamedicalopinion.com/run.exe

# Moving Targets

CatGaurb   diddygirl@ua.fm   http://technorati.com/blogs/nickolson89.blogspot.com  He enrolled the tile invest to my plunge and my tree was inside her bond and I character her mares with both bikes and she pushed beaufiful puddling suburb spurt out her wow trying dely her  View full comment   Restore comment   Spaminess: 60%   2008-02-18 13:55:07   Post: How to fix that Rubygems mess on Leopard
□ cicSpeepKap   arbircava@mymail-in.net   http://officialmedicines.com/?aid=4749  you want whot all  View full comment   Restore comment   Spaminess: 60%   2008-03-03 06:50:03   Post: How to fix that Rubygems mess on Leopard
Umanamas   Iumanamas@lumanamas.com Overnight Xanax Without A Prescription  View full comment   Restore comment   Spaminess: 70%   2008-02-23 11:00:02   Post: How to fix that Rubygems mess on Leopard
CatGaurb   nikkybikky@ua.fm   http://technorati.com/blogs/jyllian86.wordpress.com Sweat severing to mar alone her forehead, Kath loosed Sarah distantly by the protein as she slammed the britney spears up skirt photo soothingly and forth, swatting gravelly as she bought the teen  View full comment   Restore comment   Spaminess: 70%   2008-02-24 12:41:52   Post: How to fix that Rubygems mess on Leopard
□ traxamasoh   traxamasoh@traxamasoh.com phentermine overnight no prescription View full comment   Restore comment   Spaminess: 70%   2008-02-28 21:11:42   Post: How to fix that Rubygems mess on Leopard
□ adinahemin   adinahemin@adinahemin.com   http://phentermine.metorx.com/phentermine-no-prior-prescription.html Soma without prescription  View full comment   Restore comment   Spaminess: 70%   2008-03-05 19:14:54   Post: How to fix that Rubygems mess on Leopard
□ xanhemados   xanhemados@xanhemados.com   http://xan.pharmacylog.com/buy-xanax-prescription.html xanax for sale View full comment   Restore comment   Spaminess: 70%   2008-03-07 03:36:52   Post: How to fix that Rubygems mess on Leopard
☐ jrcgmbqnh dltqaju   mudze@mail.com   http://www.oyirqmv.tvzgjmefn.com yoeqkx acog ubyqmq rxpu mukbn mbduy jxte

# Moving Targets: SPLOG

## Moving Targets: SPLOG




## Moving Targets: SPLOG






## Domain Reputation



### Domain Reputation



Mostly used for email

Some people are re-factoring for Web

Domain tasting best example (age)


Cousin / Likeliness of other domains used

We have something called LexiRep also

### Domain Wreck-utation



#### Domain Wreck-utation



Web 80 - 20 rule works against this

Compromised sites are not accounted for

Domain stealing, acquiring, breaks age and history algorithms

DNS spoofing, hacks, etc

Do not account for URL's, hostnames

## Application reputation

Packer heuristics are commonly used to categorize a malicious binary, because 90% of all malicious binaries are packed.

Malicious authors have increasingly started to try to fool application detection engines into thinking the binary in question is not a packed binary.

#### Sections look normal


		V. Size	R. Offset	R. Size	Flags
ext	00001000	00001554	00000400	00001600	60000060
ata	00003000	0001B150	00001A00	0001B200	C0000040
data	0001F000	000000E0	0001CC00	00000200	40000040
SS	00020000	00000170	00000000	00000000	C0000080
data	00021000	00000798	0001CE00	00800000	C0000040

#### Entry point matches MinGW GCC

```
public start
text:004012A0
                                 start
text:004012A0
                                                  proc near
text:004012A0
text:004012A0
                                                  dword ptr -8
                                 var 8
text:004012A0
text:004012A0 55
                                                          ebp
                                                  push
text:004012A1 89 E5
                                                          ebp. esp
                                                  mov
              83 EC 08
                                                          esp. 8
                                                  sub
text:004012A6 C7 04 24 02 00 00+
                                                          [esp+8+var 8], 2
                                                  mov
text:004012AD FF 15 FC 11 42 00
                                                  call
                                                          ds: set app type
                                                          sub 401150
text:004012B3 E8 98 FE FF FF
                                                  call
                                                                           goes into this func
text:004012B3
                                 start
                                                  endp
```

```
_text:00401150 55
                                                           ebp
                                                  push
_text:00401151 89 E5
                                                  mov
                                                           ebp esp
.text:00401153 53
                                                  push
                                                           ebx
_text:00401154 83 EC 24
                                                  sub
                                                           esp 24h
                                                           esp+28h+var 28], offset sub_401000
.text:00401157 C7 04 24 00 10 40+
                                                  mov
                                                           SetUnhandledExceptionFilter
.text:0040115E E8 2D 11 00 00
                                                  call
_text:00401163 83 EC 04
                                                  sub
                                                           esp<sub>*</sub> 4
text:00401166 E8 D5 OB 00 00
                                                  call
                                                          sub 401D40
.text:0040116B E8 D0 OC 00 00
                                                  call
                                                           sub 401E40
.text:00401170 C7 45 F8 00 00 00+
                                                  mov
                                                           [ebp+var 8], 0
_text:00401177 8D 45 F8
                                                  lea
                                                           eax. [ebp+var 8]
                                                            esp+28h+var 18], eax
.text:0040117A 89 44 24 10
                                                  mov
text:0040117E A1 00 E1 41 00
                                                           eax, dword 41E100
                                                  mov
.text:00401183 C7 04 24 04 00 42+
                                                  mov
                                                            esp+28h+var 28],
                                                                             offset dword 420004
text:0040118A 89 44 24 0C
                                                            esp+28h+var 10],
                                                  mov
                                                                             eax
                                                           eax. [ebp+var C]
_text:0040118E 8D 45 F4
                                                  lea
                                                            esp+28h+var 20],
text:00401191 89 44 24 08
                                                  mov
                                                                             eax
.text:00401195 B8 00 00 42 00
                                                           eax, offset dword 420000
                                                  mov
text:0040119A 89 44 24 04
                                                            esp+28h+var 241, eax
                                                  mov
                                                  call
                                                           getmainargs
.text:0040119E E8 5D 10 00 00
                                                           eax. ds:dword 4200A0
.text:004011A3 A1 A0 00 42 00
                                                  mov
.text:004011A8 85 CO
                                                  test
                                                           eax eax
.text:004011AA 74 64
                                                  jΖ
                                                           short loc 401210
.text:004011AC A3 10 E1 41 00
                                                           dword 41E110 eax
                                                  mov
                                                           edx, ds: iob
.text:004011B1 8B 15 08 12 42 00
                                                  mov
                                                           edx edx
_text:004011B7 85 D2
                                                  test
.text:004011B9 OF 85 A1 00 00 00
                                                  inz
                                                           loc 401260
.text:004011BF
                                                                           ; CODE XREF: sub 401150+12A1j
                                  loc 4011BF
_text:004011BF
                                                           edx, OFFFFFFE0h
_text:004011BF 83 FA E0
                                                  CMP
```

How did it do this? There are multiple programs to scramble the true identity.... i.e. DotFix Fake Signer, pseudo signer, etc



Reputation systems for security are effective in long tail of Internet

Reputation systems for security are effective in long tail of Internet

Reputation can be used with other parts of the equation to make better decisions

Reputation systems for security are effective in long tail of Internet

Reputation can be used with other parts of the equation to make better decisions

Web reputation is less affective than email reputation based on the new dynamics of the web, the large numbers of compromised web-sites, and web two dot uh-oh





### THANKS!

# dhubbard | schenette | <at>websense.com |